

IOT SMART CLASSROOMS

V.S.Suresh Kumar^a, K.Booma^b, K.Suma^b

^aAssistant Professor, Department of Computer Science and Engineering, Nandha College of Technology, Erode-52, Tamilnadu, India

^bUG Student, Department of Computer Science and Engineering, Nandha College of Technology, Erode-52, Tamilnadu, India

^bUG Student, Department of Computer Science and Engineering, Nandha College of Technology, Erode-52, Tamilnadu, India

*Corresponding Author

Sureshkumar@nandhatech.org

Received : 19-1-2019

Reviewed : 25-2-2019

Revised : 26-3-2019

Accepted : 04-4-2019

DOI:

ABSTRACT: This project focuses on achieving college automation along with smart classroom integration. In today's world automation, gaining a lot of importance and IoT is becoming more popular day by day; this project focuses on smart class rooms in college by installing small internet connected devices in each classroom. Raspberry pi, is used as the brain of the whole controlling system. An embedded linux is used as the operating system and allows us to make the classroom smart, offering various software and teaching tools to be easily installed. Python, a high-level programming language is used to fetch data from cloud and implement the control logic for controlling the appliances in the classroom. Flask, a micro web framework is used to develop the backend server application. SQLite3 is used to manage the data on cloud. The UI to control the appliances in the classroom is developed with Materialize, a framework allowing to develop responsive material design.

1 Introduction

A. IoT (Internet Of Things) IoT (Internet of Things) is inter-networking of physical devices, embedded systems, buildings, sensors, actuators and other similar devices to stay connected and exchange data. The IoT allows objects to be sensed or controlled remotely across existing network infrastructure, creating opportunities for more direct integration of the physical world into computer-based systems, and resulting in improved efficiency, accuracy and economic benefit in addition to reduced human intervention.

B. Introduction To Raspberry Pi Raspberry pi is a on its own board computer that finds its application in a wide range of IoT based and teaching applications. This tiny piece of electronic device is capable of stuff that a PC does, like opening spreadsheets, PowerPoint presentations, playing games and much more. At the same time it is also has 40 GPIO pins, which offers to connect various sensors and actuators and work around controlling physical things. The raspberry pi 3 features a Broadcom system on a chip (SoC), which includes an ARM compatible central processing unit (CPU) and an on-chip graphics processing unit (GPU, a Video Core IV). CPU of 1.2 and on board of 1 GB RAM. 1) Existing Methods: Shekhar H. et al discussed about the concept of eliminating the black board and replacing them with the smart electric board is discussed[1]. Dong-oh Kang et al has clearly pointed the applying SoD (System on-Demand) technology to the

smart class by resilient usage of smart devices like smart phones and smart pads, which adopts I/O virtualization, system virtualization and application virtualization techniques[2]. M. Kim and N. Y. Chong focuses on implementation on electric board by eliminating the black boards[3]. G. Tanganelli C et al has defined the use CoAPthon, an open-source Python-based CoAP library, which aims at simplifying the development of CoAP-enabled IoT applications[4]. 2) Smart classrooms: Existing smart classrooms system more focuses on providing digital forms of teaching and learning experience at the same time being a little rich to afford as it consists of a PC integrated with the classrooms. The smart classroom system does not allow controlling physical appliances inside the classroom through software.

A. About the Project

The main objective of this project is to propose a system that is capable of providing a smart classroom along with automation of a classroom interconnected to achieve college automation. An IoT backend is built using Flask, a python web framework that exposes an API for the device to communicate with cloud and also provides a good web UI which can be used to control the physical appliances in the classroom from anywhere in the world. SQLite3, a lite weight structure database is used for handling, storing and retrieving the data. The UI for the

user is built using materializecss, a material UI framework. The Raspberry pi communicates to the cloud through the internet using the API exposed and fetches the state of all the appliances in the classrooms. This state data of all the appliances is used to control the appliances. Relay, an electromechanical switch is connected to the appliances of the classroom. This relay module receives signal from the Raspberry pi and operates the physical appliances. Apart from these, the Raspberry pi is running an embedded linux operating system offering a good GUI for the smart classroom and also allows running various applications, like office tools, programming languages, Graphing tools and much more. The web UI has a login system that allows only the users with access to the classroom to control the classroom. It offers only the administrator to provide access to the users of classroom, similarly only admin has the access to remove any user from accessing the classroom.

B. System Hardware & Software Requirements

The system consists of the following hardware and software used.

1) Hardware

- a) Raspberry Pi
- b) Relay
- c) Projector/Display
- d) Keyboard
- e) Mouse
- f) Hdmi to vga connector
- g) Sd card
- h) 5v 2a adapter
- i) Female to female connectors
- j) Usb cable
- k) 12v 1a adapter

2) Software

- a) Operating system: i) Ubuntu mate
- b) Programming language: i) Python ii) Shell scripting iii) Javascript
- c) Web languages: i) Html ii) Css
- d) Frameworks: i) Flask ii) Materializecssy and powder SHG studies and the results were discussed.

A. Relay A relay is an electrically operated switch. Many relays use an electromagnet to mechanically operate a switch, but other operating principles are also used, such as solid-state relays.

1) Hdmi To Vga Cable:Hdmi (High-Definition Multimedia Interface) is a proprietary audio/video interface for transmitting uncompressed video data and compressed or uncompressed digital audio data from an HDMI-compliant source device, such as a display controller, to a compatible computer monitor, video projector, digital television, or digital audio device.

2) Adapter: use of an external power supply allows portability of equipment powered either by mains or battery without the added bulk of internal power components, and makes it unnecessary to produce equipment for use only with a specified power source; the same device can be powered from 120 vac



or 230 vac mains, vehicle or aircraft battery by using a different adapter.

3) Relay drive :a driver is an electrical circuit used to control another circuit such as liquid crystal display and numerous others. They are usually used to regulate current flowing through a circuit.

4) Keyboard: in computing, a computer keyboard is a typewriter-style device which uses an arrangement of buttons or keys to act as a mechanical lever or electronic switch. Following the decline of punch cards and paper tape, interaction via teleprinter-style keyboards became the main input device for computers. Figure 5.10 shows a picture of a keyboard.

1) Python: Python is a widely used high-level programming language for general-purpose programming, created by Guido van Rossum and first released in 1991. An interpreted language, Python has a design philosophy which emphasizes code readability (notably using whitespace indentation to delimit code blocks rather than curly braces or keywords), and a syntax which allows programmers to express concepts in fewer lines of code than possible in languages such as C++ or Java. The language provides constructs intended to enable writing clear programs on both a small and large scale.Python features a dynamic type system and automatic memory management and supports multiple programming paradigms, including object-oriented, imperative, functional programming, and procedural styles. It has a large and comprehensive standard library. Python interpreters are available for many operating systems, allowing Python code to run on a wide variety of systems. CPython, the reference implementation of Python, is open source software and has a community-based development model, as do nearly all of its variant implementations. CPython is managed by the non-profit Python Software Foundation.

2) Shell Scripting: a shell script is a computer program designed to be run by the Unix shell, a command-line interpreter. The various dialects of shell scripts are considered to be scripting languages. Typical operations performed by shell scripts include file manipulation, program execution, and printing text. A script which sets up the environment, runs the program, and does any necessary cleanup, logging, etc. is called a wrapper. The term is also used more generally to mean the automated mode of running an operating system shell; in specific operating systems they are called other things such as batch files (MSDos-Win95 stream, OS/2), command procedures , and shell scripts (Windows NT stream and third-party derivatives like 4NT—article is at cmd.exe), and mainframe operating systems are associated with a number of terms.

3) JavaScript: JavaScript is a high-level,

dynamic, untyped, and interpreted programming language. It has been standardized in the Script language specification. Alongside HTML and CSS, JavaScript is one of the three core technologies of World Wide Web content production; the majority of websites employ it, and all modern Web browsers support it without the need for plug-ins. JavaScript is prototype-based with first-class functions, making it a multi-paradigm language, supporting object-oriented, imperative, and functional programming styles. It has an API for working with text, arrays, dates and regular expressions, but does not include any I/O, such as networking, storage, or graphics facilities, relying for these upon the host environment in which it is embedded. Although there are strong outward similarities between JavaScript and Java, including language name, syntax, and respective standard libraries, the two are distinct languages and differ greatly in their design. JavaScript was influenced by programming languages such as Self and Scheme.

C. Operating system Ubuntu MATE is a free and open-source Linux distribution and an official derivative of Ubuntu. Its main differentiation from Ubuntu is that it uses the MATE desktop environment as its default user interface, based on GNOME 2 which was used for Ubuntu versions prior to 11.04, instead of the Unity graphical shell that is the default user interface for the Ubuntu desktop. The updates include security patches for Ubuntu MATE and all of its components. Security updates for all of its installed applications are also provided on the same schedule

D. **Web Languages** 1) **Html: Hypertext Markup Language (HTML)** is the standard markup language for creating web pages and web applications. With Cascading Style Sheets (CSS) and JavaScript it forms a triad of cornerstone technologies for the World Wide Web. Web browsers receive HTML documents from a web server or from local storage and render them into multimedia web pages. 2) **CSS :Cascading Style Sheets (CSS)** is a style sheet language used for describing the presentation of a document written in a markup language. Although most often used to set the visual style of web pages and user interfaces written in HTML and XHTML, the language can be applied to any XML document, including plain XML, and is applicable to rendering in speech, or on other media. Along with HTML and JavaScript, CSS is a cornerstone technology used by most websites to create visually engaging webpages, user interfaces for web applications, and user interfaces for many mobile applications. E. Frameworks Used

1) Flask : Flask is a micro web framework written in Python and based on the Werkzeug toolkit and Jinja2 template engine. Applications that use the Flask framework include Pinterest, LinkedIn, and the community web page for Flask itself. Flask is called a micro framework because it does not require particular

tools or libraries. It has no database abstraction layer, form validation, or any other components where pre-existing third-party libraries provide common functions.

2) Materialize: Materialize is a responsive front-end design framework based on Material Design that you can use in your application just like Bootstrap. This is undoubtedly one of the most impressive Material Design frameworks. It provides both CSS and SCSS files along with JavaScript, material design icons and Roboto font. Google's Material Design has taken the internet UI world by storm. Since it's arrival on Google's Inbox and then progressive across Google's network sites, many web applications like Telegram have begun deploying the framework. F. Autostart Script `#!/bin/sh #launch.sh cd / cd control python control.py cd / 1) User Script: from flask_login import UserMixin class User(UserMixin): def init (self, user_name): self.user_name = user_name def is_authenticated(self): return True def is_active(self): return True def is_anonymous(self): return True def get_id(self): return self.user_name`

IV. ADVANTAGES

- A. The classroom appliances can be accessed from any internet connected device
- B. Offers smart classroom environment
- C. Offers exposure about embedded systems to students
- D. Allows various programming languages to be installed
- E. Allows plotting digital graphs F. Allows interfacing sensors directly
- G. Cost is low compared to existing systems

V. LIMITATIONS

- A. Low system configurations compared to PC or Laptops
- B. Low storage space
- C. Internet is mandatory for the control of appliances

VI. TYPICAL APPLICATIONS OF THE SYSTEM

- A. Can be used in colleges
- B. Installing in schools C. Smart classrooms
- D. Tutorial centers E. Homes

VII. CONCLUSION

The primary goal of the project is to provide a system that offers smart teaching aids for classroom and also offer control over the appliances inside the classroom. The implementation of the system in educational institutions will have a great impact on students and also will improve the teaching and learning process. The system strives in minimizing the usage of black board and promotes usage of digital media for teaching and learning. India walking towards digitalization, this would be a great start right from the classrooms.

REFERENCE

- Aron R, Chana I, Abraham A, 'A hyper-heuristic approach for resource provisioning-based scheduling in grid environment', Journal on Supercomputing, vol. 71, pp.1427-1450, 2015.
- Preethi, B.C. and Vijayakumar, M. "A novel Cloud Integration Algorithm(CIA) for Energy Efficient High Performance Computing Applications in Big Data Multimedia Applications", Romanian Journal of Information Science and Technology, vol. 2, no.1, pp. 1-11, March 2018
- Prakash, S. and Vijayakumar, M., "An effective network traffic data control using improved Apriori rule mining," Circuits and Systems, Issue 10, Vol. 07, pp. 3162-3173, June 2016.
- Kolodziej J, Khan S U, Gelenbe E, Talbi E G, "Scalable optimization in grid, cloud, and intelligent network computing", Concurr Comput., vol. 25, no. 12, pp. 1719-1721, 2013.
- Nesmachnow S, Dorransoro B, Pecero J E, Bouvry P, "Energy-aware scheduling on multicore heterogeneous grid computing systems", J Grid Computing, vol. 11, no. 4, pp. 653-680, 2013.
- Carretero J, Xhafa F, "Use of genetic algorithms for scheduling jobs in large scale Grid applications", Technol Econ Dev Econ, vol. 12, no.1, pp.11-17, 2006.
- Prakash, S. and Vijayakumar, M., "Risk Assessment in Cancer Treatment using Association Rule Mining Techniques," Asian Journal of Research in Social Sciences and Humanities, Issue 10, Vol. 06, pp. 1031-1037, June 2016.
- Vijayakumar, M. and Prakash, S., "An Improved Sensitive Association Rule Mining using Fuzzy Partition Algorithm," Asian Journal of Research in Social Sciences and Humanities, Issue 06, Vol. 06, pp. 969-981, June 2016.
- Saveetha P and Arumugam S, "Study on Improvement in RSA Algorithm and its Implementation", International Journal of Computer & Communication Technology, Vol.3 No.6,PP.78, 2012.
- Saranya M and Nithya K, "Campus Navigation and Identifying Current Location through Android Device to Guide Blind People", International Research Journal of Engineering and Technology (IRJET), Vol.02,Issue : 08,Nov 2015.
- Gokulraj P and Kiruthikadevi K, "Revocation and security based ownership deduplication of convergent key creating in cloud", International Journal of Innovative Research in Science, Engineering and technology. Vol. 3, Issue 10, ISSN: 2319-8753, October 2014.
- Saveetha P, Arumugam S and Kiruthikadevi K, "Cryptography and the Optimization Heuristics Techniques", Int. Journal of Advanced Research in Computer Science and Software Engg , volume. 4, Issue.10, ISSN: 2277 128X, October 2014.
- Nithya K, Kalaivaani P C D and ThangarajanR, "An enhanced data mining model for text classification", International Conference on Computing, Communication and Applications,PP.1-4,2012.
- Yu J, Kirley M, Buyya R, "Multi-objective planning for workflow execution on grids", In: Proceedings of 8th IEEE/ACM International Conference on Grid Computing, pp. 10-17, 2007.
- Dhivyaa C R, Nithya K and Saranya M, "Automatic detection of diabetic retinopathy from color fundus retinal images", International Journal on Recent and Innovation Trends in Computing and communication,Vol.2 ,Issue 3, ISSN:2321-8169, 2012.
- He X, Sun X, Laszewski G, "A QoS guided min-min heuristic for grid task scheduling", Journal on Computer Science and Technology, vol. 18, no. 4, pp. 442-451, 2003.
- Kamesh V, Karthick M, Kavin K, Velusamy M and Vidhya R, "Real-Time Fraud Anomaly Detection in E-banking Using Data Mining Algorithm", South Asian Journal of Engineering and Technology,Vol.8,supplementary issue.1,PP.144-148,April 6,2019.
- Aron R, Chan I, "Resource provisioning and scheduling in Grids: issues, challenges and future directions", In: Proceeding of IEEE International Conference on Computer and Communication Technology, MNNIT, Allahabad, 2010.
- Aron R, Chan I, "Resource provisioning for Grid: A policy perspective", In: Proceeding of Springer International Conference on Contemporary Computing (IC31), JP University, Noida, 2011.
- Vijayakumar M and Prabhakar E, "A Hybrid Combined Under-Over Sampling Method for Class Imbalanced Datasets", International Journal of Research and Advanced Development (IJRAD), Volume 02, Issue 05, pp. 27-33, December 2018.

